

Document Log Item

Addressing	
From	To
Carmen Santos/R9/USEPA/US	"Michel Iskarous" <miskarou@dtsc.ca.gov>
CC	BCC
	armann.steve@epa.gov
Description	
Form Used: Reply	
Subject	Date/Time
Re: PCBs: Pechiney Site	05/03/2010 09:31 AM
# of Attachments	Total Bytes
0	3,560
NPM	Contributor
Processing	
Comments	

Body

Document Body

Hello, Michel:

I am reviewing the draft Order and will get back to you today regardless of whether or not there may be issues with PCBs in relation to the Order.

Thank you for sharing the Order with us.

Regards,
Carmen

Carmen D. Santos, Project Manager
RCRA Corrective Action Office

Waste Management Division
USEPA Region 9
415.972.3360
fax: 415.947.3533

-----"Michel Iskarous" <miskarou@dtsc.ca.gov> wrote: -----

To: Carmen Santos/R9/USEPA/US@EPA
From: "Michel Iskarous" <miskarou@dtsc.ca.gov>
Date: 05/03/2010 08:06AM
Subject: Re: PCBs: Pechiney Site

Good morning Carmen, I hope all is well with you and you had a great week end. We are ready to finalize the Order and I was wondering if you have any comments on the PCB issues on the Order? Please let me know if you do before signing the Order. Thanks

>>> <Santos.Carmen@epamail.epa.gov> 4/16/2010 1:27 PM >>>

Hello, Michel:

As I mentioned in a previous message, I am drafting USEPA's approval of the Pechiney risk-based PCB cleanup application. The land use zoning for the site is industrial / commercial. To ensure consistency with certain risk based decisions that DTSC may be making for the Pechiney site, please confirm what is DTSC's point of departure for risk based evaluations of sites that may remain industrial / commercial? Is it 10E-6 or 10E-5? Please confirm.

Thank you for your courtesies. Looking forward to your reply.

Regards,
Carmen

Carmen D. Santos, Project Manager
RCRA Corrective Action Office
Waste Management Division
USEPA Region 9

415.972.3360
fax: 415.947.3533